



HORIZON-PC68 CATAMARAN MOTOR YACHT

2024 Standard Specifications – USA

Effective date: July 1st, 2023

Principal dimensions (approximate):

◆ L.O.A.	:	68'	(20.73 m)
◆ L.W.L.	:	61'-9"	(18.82 m)
◆ Beam	:	24'-6"	(7.47 m)
◆ Draft (half load)	:	5'-4"	(1.62 m)
◆ Height (half load, W.L to hardtop)	:	22'-11"	(6.98m)
◆ Displacement (half load)	:	111,112 lbs.	(50.40 tons)
◆ Fuel	:	1,500 US gal.	(5,677 ltrs)
◆ Fresh Water	:	300 US gal.	(1,135 ltrs)
◆ Engine	:	MAN i6 850HP	
◆ Generator	:	Onan 21.5 kW (60Hz) x1	

A. Hull and Main Structure

1. ABS/DNV type approved fiber/resin & sandwich core material applied.
2. White gelcoat finish for hull above water line, exterior decks and furniture.
3. One piece hull SCRIMP™ cored lamination w/ deep skeg and longitudinal girders.
4. Hull, deck & superstructure are built with licensed process SCRIMP™ for improved strength and less weight.
5. High density foam cored hull bottom.
6. High-density Divinycell or equivalent foam cored hull sides, decks and superstructure.
7. Stringers with high density foam coring.
8. Interior structural components all properly bonded to hull.
9. Strong collision bulkhead structure for extra safety.
10. International® anti-fouling bottom paint, w/ anti-osmosis treatment.
11. PropSpeed/PropGold metal paint for

underwater appendages

12. Tunnels for reduced draft.

B. Exterior Deck and Equipment

1. Gunwale with external rub rail.
2. Fiberglass cap rail.
3. Mooring cleats x (12) as per layout and hawse pipes x (4) at fwd deck.
4. Locker for 24V anchor windlass QUICK DR4 2024D with foot switches.
5. Anchor control at flybridge.
6. Roller and S/S chain stopper for anchor.
7. Heavy-duty S/S handrail. Top rail 1-1/2", stanchions 1-1/4" and mid rail 1".
8. S/S flag pole on bow rail.
9. Pulpit seats at bow.
10. Deck hatch for access to 80kgs S/S anchor with Ultra flip swivel UFS16-100, 300 ft of high tensile 7/16" chain plus 100ft mooring rope.



- | | |
|---|--|
| <ol style="list-style-type: none"> 11. Fresh water at chain locker. 12. Bow storage lockers (x2) with access through flush deck hatches. 13. Stainless steel horizontal rail inside the two bow storage lockers for tying off fender ropes x2 14. Large deck hatch provides shelves (x2) and under step storage for ropes and tools. Non-skid floor inside. 15. Two opening big oval portlights*2 & two portholes for open salon layout. (three big oval portlights*3 for on deck master layout) 16. Hull side frameless flush mounted fixed windows (x5) with tinted and tempered glass. 17. Deck hatches (x2, 62mm*62mm) with blinds & screens. 18. Flush mounted stainless steel framed salon door with 6' opening. 19. Port and starboard sides boarding door. 20. Non-skid deck. 21. Aft deck engine control station at portside. 22. Self draining aft deck. 23. FRP aft deck bar with Corian-top, basin, fridge, and icemaker. 24. FRP overhead cabinet above aft deck bar. 25. FRP seat with cushions at stern or one bench seat with fore/aft roll bar on the back rest next to dining table and two transom S/S gate rails, per drawing. 26. Large (9'-4") hi-gloss finished wood cockpit table. 27. Burnewinn fish rod holders (x4, PCC supply and shipyard install) at P&S. 28. Large steps (x2) down to dive/swim platform, including finn storage underneath the second step of each side. 29. Manual swim ladder (x2). 30. Cockpit lockers for storage (x3) with key lock for each door. 31. Cockpit down LED lights. | <ol style="list-style-type: none"> 32. Dimmer for lights over aft deck table. 33. Courtesy lights. 34. Hot and cold fresh water showers (x2). 35. Fresh water deck wash tap and dock inlet. 36. Canvas covers for helm console, STD helm chair, FRP lounge seating & table, BBQ on the flybridge, aft cockpit seating, and special padded cover for aft cockpit table. 37. Comfortable curved stairway with non-skid FRP treads up to flybridge from aft deck. 38. Recessed fuel and water inlets. 39. Swim platform with removable S/S rails, one for each side. 40. Pre-wire for LED boat name plate at stern (only available for closed transom design). 41. Dimmer switch for aft. deck ceiling lighting. 42. New inner liner for storage space in fwd. deck Locker. 43. Install fuel gauges with fuel sensor at fill on P&S side deck. 44. Reinforce structure for future PCC installing hi/lo lift plus to open extra one service hatch in aft deck for hi/lo lift service. 45. *Add one removable shelf in stbd. aft. deck side cupboard. 46. LED stern docking lights (x2) 47. Add one S/S handrail on stbd. of aft. deck, besides aft. bar. 48. *Bow chest locker with extra S/S pole to tie line, and add extra one hatch on first two steps with gas strut. (on deck master layout only) 49. Built-in boat hook*1 holder on aft deck. |
|---|--|

C. Flybridge and Boat Deck

*Flybridge with Fwd Portuguese Deck.

1. Non-skid flybridge cambered deck with ample drainage.
2. Two fixed glass front windshields and a door with FRP frame and two wipers



- | | |
|--|--|
| <ul style="list-style-type: none"> 3. Navigation LED lights. 4. Ample locker space for storage. 5. Wet bar with Corian top, sink, hot and cold water, Fisher & Paykel cool drawer and Scotsman icemaker at portside. 6. S/S swivel bar stools with S/S post (x2) 7. L shape boat deck bar with FRP top, built-in GE chest freezer and space for BBQ at stbd. 8. Indirect lighting under bar counter. 9. Luxurious seating. 10. Satin finished teak hi/lo and sliding table. 11. Starboard fwd lay flat lounger. 12. Helm station with S/S wheel. 13. Surface mounted STIDD white color pilot seat (x2) with manual swivel & adjust fore/aft. function and surface mount pedestal on top of FRP cabinet at portside. 14. Instrument console with engine controls, chart plotters instrument monitors and panels, fuel tank monitoring panel and Headhunter black water tank monitoring panel. 15. Windlass remote control. 16. Remote controls for spot light and ship's horn. 17. Bilge pump monitors and controls. 18. Compass. 19. S/S cup holders (x2) at FB helm. 20. Comfortable stairs for access to aft deck with stainless handrails. 21. Air conditioning on flybridge (2 outlets) 22. Hard top with lights. 23. Two hatch on hardtop (without screen), above console. 24. Hardtop reinforced for Nav gear to be mounted on top. 25. 1750lb hydraulic crane for owner-supplied tender on flybridge. 26. Electrical outlet (x1) and water outlet (x1) for dinghy in aft boat deck. 27. S/S rails around boat deck | <ul style="list-style-type: none"> 28. S/S flag pole on stern. 29. Dimmer switch for F/B ceiling lighting 30. Add BLUESEA dual USB charger at P&S of console. 31. Dayhead with shower. 32. Portuguese deck with center elec. open-up windshield and gate from F/B deck, S/S safety rails at front, S/S ladder to fwd. deck, one 62*62cm hatch at stbd. side, two L shape settees and two satin teak table top with manual hi/lo table feet to be bed with extra cushion. <p>Skylounge (Option)</p> <ul style="list-style-type: none"> 33. Access via internal stairs from salon to skylounge. 34. Interior wood finish. 35. Wood floor choices from shipyard samples. 36. Curtains for side windows, choices from shipyard samples. 37. Stainless steel sliding door to boat deck. 38. Air conditioning. 39. Standard A/V system including elec. hi/lo 40" LED TV with FUSION Apollo Marine stereo, four 7" JL speakers, JL AMP and one JL 10" subwoofer. 40. Wipers*2. 41. Canvas cover for BBQ on boat deck (if equipped). <p>E. Engine Propulsion & Steering System</p> <ul style="list-style-type: none"> 1. MAN i6 850HP engines. 2. Dual Racor filters in each engine room. 3. S/S shafts AQUAMET HS 22# or equivalent. 4. High performance S class 5 blade VEEM propellers. 5. Bronze P bracket. 6. Shaft and rudder packing glands with maintenance free Tides seals. 7. Stainless rudder with zinc plates. |
|--|--|



8. Hypro Electronic Command Steering System.
9. Underwater exhaust system with bypass and mufflers.
10. Side Power SE250 (15.5HP) Bow thruster and *stern thruster SE210 (13.15HP) with tunnel.

F. Engine Room and Equipment

1. Sound and heat insulated compartments.
2. DELTA-T or equivalent ventilation system with moisture eliminators.
3. 21.5 kW (60Hz) Onan generator with sound shield and air water separator.
4. Engine access through deck hatches in cockpit floor.
5. DC Lights.
6. One SEAFIRE automatic/manual fire extinguisher for engine room with panel in helm station.
7. Seafire auto shutdown system.
8. Automatic damper system.
9. High water bilge pumps with alarms.
10. Oil change pump system for engines gears, and generators.
11. *Termodinamica air conditioning system with one redundant compressor unit for cabins, F/B and salon.
12. Air conditioning manual cleaning system.
13. Install fuel transfer pump operation switch with solenoid valve.
14. Adjustable manual trimtab at stern.

G. Electrical System

1. 110V or 220V electrical supply from generator/shore power.
2. One Glendinning shore power cable master 50Amp w/75' power cable and one 50Amp shore power connection w/plug at stern portside.
3. *Upgrade shore power breaker*2 to ABB

- (DDA203 A S-63 + S203-C50) in lieu of std. Legrand.
4. Color-coded wiring for easy identification.
5. Premium DC distribution board with switches, voltmeter and amp meter.
6. Remote panel for generator.
7. Six Lithium VICTRON BAT524120610 25.6V 200 amp smart batteries system.
8. Premium AC panel with switches 110/220VAC, 50A dock inlet (100A for USA).
9. Navigation light and bilge monitoring
10. Fresh, black water & diesel tank gauges.
11. Four 255Ah AGM start batteries for engines/generator.
12. QUATTRO inverter charger*2, Victron autotransformer*1+ Skylla-i battery charger*1.
13. Vimar switches for lighting switches and receptacles.
14. Outlets in salon, bar, galley, cabins, flybridge, aft deck, and engine room.
15. Powerline alternator distribution system for engines.
16. Smoke detector in each zone.
17. *Shipyard provides conduits at appointed 14 areas to install other AV system in USA.

Navigation & Instrumentation

18. Garmin GPS.
19. Garmin 4ft 72nm open array radar system.
20. Garmin 8622 22" (x3) multifunction displays.
21. Garmin Autopilot System.
22. Garmin Wind/Speed/Temp/Depth transducers.
23. Garmin VHF at flybridge (with built-in loudhailer) and interior navigation station.
24. Garmin AIS.
25. Garmin transducer with sonar module.



- 26. Connect MAN engines data to Garmin display with two J1939 cables.
- 27. *One loudhailer on the roof.

H. Mechanical System

- 1. Headhunter fresh water Royal Flush Bravo marine toilets in Master and VIP head, and Espresso toilets for the rest with back-up fresh water pump.
- 2. Miele washer and separate dryer with cabinets.
- 3. 70 Gallon holding tanks (x2), dock side pump out.
- 4. 300 Gallon water tank.
- 5. Water and black tank integral to hull.
- 6. Color coded piping for easy identification.
- 7. High water bilge alarm.
- 8. Electric 24V bilge pumps.
- 9. Marine grade lines for fresh water system.
- 10. Two 20 Gallon hot water heaters.
- 11. Pre-wire for water maker. (power type TBD)
- 12. *Install OS water maker control panel in salon elec. panel.

I. Interior Design and Equipment

- 1. Standard layout: En suite staterooms (x3) and crew cabin (x1)
- 2. Soft close drawers through boat
- 3. USB*8 per owner's location. (six in cabins, two in salon, one in galley and one for

Interior Layout – Salon

- 4. Plush wool carpeting or hardwood flooring.
- 5. Tempered safety glass windows.
- 6. Luxurious salon sofa covered in leather or fabric.
- 7. Soft furnishings including roman blinds.
- 8. Fabric headliner with recessed down

- lights.
- 9. Window valance.
- 10. Side tables with storage.
- 11. Wood coffee table.
- 12. Satin wood finish on vertical and horizontal surfaces. Wood selection from shipyard standard collection.
- 13. LED Ceiling lights.
- 14. Dimmer system for LED ceiling lights in salon.
- 15. Install three directional lights in the overhang to light up the artwork on the wall in salon.(on deck master only)

Master Stateroom

- 16. Carpeted or wood flooring.
- 17. Soft furnishings including blinds on all side windows.
- 18. King size walk around bed with pocket spring mattress.
- 19. Vanity and chair as per layout.
- 20. Reading lights and cabin lights.
- 21. Night stands with cupboard, light switches and outlets.
- 22. Headliner with recessed down lights.
- 23. Large closets for linens/towels and clothes.
- 24. 180 degree views through wrap around, tinted and tempered windows.
- 25. Sound insulted bulkheads.
- 26. Dimmer system for LED ceiling lights in master cabin.

Master Stateroom – En suite Bathroom

- 27. Vanity with stool and mirror with large window. (per layout)
- 28. Blind over large window.
- 29. Large basin, cabinets, overhead lockers, and mirrors.
- 30. Laundry humper.
- 31. Luxury walk-in separate shower.
- 32. Separate toilet with basin and cabinets.
- 33. Large dressing area with full height



- closets, cedar lined.
- 34. Custom made laundry hamper in master head.

Interior Layout – VIP Cabin

- 35. Queen size bed – semi walk around.
- 36. Carpeted or wood flooring.
- 37. Soft furnishings including roman blind over large oval window.
- 38. Luxury pocket spring mattress.
- 39. Reading lights, cabin lights.
- 40. Big window in hull side.
- 41. Night stands with cupboard, light switches and outlets.
- 42. Vanity with mirror and stool.
- 43. Closets, cedar lined.
- 44. Fabric headliner with recessed down lights.
- 45. En suite bathroom with walk-in shower, head and basin.
- 46. Opening port-light for natural light and ventilation.

Interior Layout – Guest Cabin

- 47. Twin beds.
- 48. Carpeted or wood flooring.
- 49. Soft furnishings including roman blind over port light.
- 50. Luxury foam mattress.
- 51. Reading lights, cabin lights.
- 52. Night stand with drawers, light switches and outlets.
- 53. Fabric headliner with recessed down lights.
- 54. En suite bathroom doubles as day head with walk-in shower, head and basin.
- 55. Opening port-lights for natural light and ventilation
- 56. Change to pocket door from salon to port guest cabin.

Bar

- 57. Corian or wood bar counter.

- 58. Bar stools with S/S post (x4)
- 59. Storage for drinks bottles and glasses.
- 60. Storage cupboards.
- 61. Recessed overhead lights.
- 62. Summit wine cooler

Galley

- 63. Corian or similar counter tops and back splashes.
- 64. Miele (KM6375) 36" electric induction cooktop.
- 65. Zephyr Twister Extractor over cooktop.
- 66. Miele H6780BP 30" Convection oven.
- 67. Fisher & Paykel (DD24STI9_N) panel ready dishwasher.
- 68. Miele (KFNF9955IDE) FRENCH DOOR w/ panel ready fridge.
- 69. Fisher & Paykel (RB36S25MKIW1_N) cool drawer.
- 70. Cutlery & crockery drawers.
- 71. Pot and pan drawer & spice cupboard.
- 72. Additional storage drawers and cupboards.
- 73. Double sinks with *Insinerator PRO750 Disposal with air switch .
- 74. Under counter trash drawer.

Crew Cabin

- 75. Two single beds (30"*75") with foam mattress, headboard, reading light and big window on hull side.
- 76. Crew head as per GA

Stereo System

- 77. Flybridge FUSION Apollo Marine stereo, four 7" JL speakers, Fusion AMP and one JL 10" subwoofer.
- 78. Salon 55" Samsung TV, two Fusion speakers (CL602) with Sonos Soundbar and Apple TV.
- 79. JL 10" subwoofer*1 with Fuson AMP*1, FUSION Apollo Marine stereo (RA670) with two 7" JL speakers on aft. deck and



- two 7" JL speakers on bow.
80. Master cabin elec. hi/lo 50" Samsung TV
for on deck master layout (or 32" TV fixed

on the wall for open salon layout), FUSION
Apollo Marine stereo with built-in wi-fi
(x1) and Fusion speakers (MS-CL602) (x2).

** All specifications subject to change without notice**

Qualifications and Notice to Reader

Not included are pieces of free standing furniture and lamps, special designer specified lighting, art work, cooking utensils, cutlery and flatware, soft goods and the design fees attendant to personalizing the Owners interior arrangement plan and design. Performance statistics, weight, draft, freeboard and height are estimated only and are not warranted, and actual figures will vary depending on tolerances achieved during the vessels construction process and the equipment, supplies and stores on board, as well as operational and sea conditions. Horizon reserves the right to substitute equipment and materials stated herein to others which it believes to be of equal or superior quality and to make such design and dimensional changes as it believes are necessary to improve the vessel's performance and function. Special treatment of interior fit-out and/or use of non-standard soft furnishings required by the purchaser may subject to additional charges.